

СПИСЪК НА ЦИТИРАНИЯТА

на доц. д-р инж. Август Йорданов Иванов, представени в конкурса за професор към секция СИТРМ на Института по роботика при БАН

1998

1. Ch Roumenin, P Nikolova, **A Ivanov**, Magnetotransistor sensors with amperometric output, *Sensors and Actuators A: Physical, Elsevier*, Vol. 69, Issue 1, 30 June 1998, Pages 16-20, ISSN: 0924-4247, **IF=0.742**,
1. Chao Zheng; Ke Zhu; Susana Cardoso de Freitas, Jen-Yuan Chang, Peter Eames ..., Magneto-resistive Sensor Development Roadmap (Non-Recording Applications), *IEEE Transactions on Magnetics*, Volume: 55 Issue: 4, April 2019, Article Sequence Number: 0800130, Print ISSN: 0018-9464, Electronic ISSN: 1941-0069, **Q2**
DOI: 10.1109/TMAG.2019.2896036,
<https://ieeexplore.ieee.org/abstract/document/8660658>

2000

2. C Roumenin, K Dimitrov, **A Ivanov**, Novel integrated 3-D silicon Hall magnetometer, *EUROSENSORS XIV, The 14th European Conference on Solid-State Transducers, Copenhagen, Denmark*, August 27-30, 2000, Pages 759-761, ISBN 87-89935-50-0.
2. Plamen Tzvetkov, ..., Vertical Hall Effect Devices in the Basis of Smart Silicon Sensors, Intelligent Data Acquisition and Advanced Computing Systems: Technology and Applications, IDAACS 2005. IEEE, Sofia, Bulgaria, September 2005, Print ISBN: 0-7803-9445-3,
<https://doi.org/10.1109/IDAACS.2005.282940>
3. Van Su Luong, Yu-Hsin Su, Chih-Cheng Lu, Jen-Tzong Jeng, Jen-Hwa Hsu, Ming-Han Liao, Jong-Ching Wu, Meng-Huang Lai, Ching-Ray Chang, Planarization, Fabrication, and Characterization of Three-Dimensional Magnetic Field Sensors, *IEEE Transactions on Nanotechnology*, Volume: 17, Issue: 1, Jan. 2018, Pages: 11-25, **Q2**
DOI: 10.1109/TNANO.2017.2660062;
<https://ieeexplore.ieee.org/abstract/document/7835300/>

2001

3. Ch Roumenin, K Dimitrov, **A Ivanov**, Integrated vector sensor and magnetic compass using a novel 3D Hall structure, *Sensors and Actuators A: Physical, Elsevier*, Vol. 92, Issues 1-3, 1 August 2001, Pages 119-122, ISSN: 0924-4247, **IF=0.917**,
[https://doi.org/10.1016/S0924-4247\(01\)00549-0](https://doi.org/10.1016/S0924-4247(01)00549-0)

4. Zhe Guo, Ruofan Li, Shuai Zhang, Yufeng Tian, Jeongmin Hong, Long You, A three-dimensional magnetic field sensor based on a single spin-orbit-torque device via domain nucleation, *Appl. Phys Lett.*, Volume 120, Issue 23, **Q1**, 10.1063/5.0093949; <https://doi.org/10.1063/5.0093949>

5. Philip Beran, Identifizierung und Kalibrierung der Orthogonalitätsfehler von mehrachsigen Spulen- und Sensorsystemen zur Erzeugung und Messung von Magnetfeldern, *Technische Universität Braunschweig*, Druckjahr: 2022, ISBN: 978-3-96729-154-4, Zugl.: Braunschweig, Techn.-Univ., Diss., 2021. https://web.archive.org/web/20220716010513id/https://publikationsserver.tu-braunschweig.de/servlets/MCRFileNodeServlet/dbbs_derivate_00049613/Diss_Beran_Philip.pdf

6. Zhang, L., Zhang, K., He, J., Zhang, Y. et al., Intelligent Cockpit Operation System: Indirect Rotary Transducer for an Automotive Screen Interface, *SAE Technical Paper* 2022-01-5034, 2022, **Q3** <https://doi.org/10.4271/2022-01-5034>.

7. Naman Goela, Aniket Babutab, Abhimanyu Kumarc, Souvik Ganguli, Hall effect instruments, evolution, implications, and future prospects, *Review of Scientific Instruments*, Volume 91, Issue 7, 10.1063/5.0009647 (2020); **Q2** <https://doi.org/10.1063/5.0009647>

8. Philip Beran, Markus Stahl-Offergeld, Volker Peters, Dennis Krause, Hans-Peter Hohe, Impact of Contact Misalignment on Magnetic Cross Sensitivity of Integrated Vertical Hall Sensors, *IEEE Transactions on Magnetics* (Volume: 55, Issue: 1, January 2019), Article Sequence Number: 4000904; Print ISSN: 0018-9464; Electronic ISSN: 1941-0069, **Q2**
DOI: 10.1109/TMAG.2018.2873238
<https://ieeexplore.ieee.org/abstract/document/8511078>

9. С.С. Сошин, М.С. Кустов, М.К. Дьячков, Измерение модуля магнитного поля с помощью малогабаритного трехкомпонентного магниторезисторного магнитометра, *ТвГУ. Серия "Физика". 2005. № 9(15). Выпуск 2. С. 25–31, УДК 53.087.92*, 2018. <https://core.ac.uk/download/pdf/74268413.pdf>

10. Van Su Luong, Yu-Hsin Su, Chih-Cheng Lu, Jen-Tzong Jeng, Jen-Hwa Hsu, Ming-Han Liao, Jong-Ching Wu, Meng-Huang Lai, Ching-Ray Chang, Planarization, Fabrication, and Characterization of Three-Dimensional Magnetic Field Sensors, *IEEE Transactions on Nanotechnology*, Vol.: 17, Issue: 1, Jan. 2018, **IF=2.485** (Eigenfactor = 0.00673; Article Influence™ Score = 0.551) **Q2**

11. Phetchakul T., Muangthong S., Leepattarapongpan C., Poyai A., A simulation of 3-axis magnetotransistor based on the carrier recombination - Deflection effect, 2014 11th

International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology, ECTI-CON 2014, 2014, Article number 6839815, 2014 11th International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology, ECTI-CON 2014; Nakhon Ratchasima; Thailand; 14 May 2014 through 17 May 2014; Category number CFP1406E-USB; Code 106689 **SJR=0.124** 2015

4. C Roumenin, K Dimitrov, D Nikolov, **A Ivanov**, The Diode Hall Effect and Its Sensor Applications-An Overview (S & M 0425), *Sensors and Materials*, Vol.13, Issue 1, 2001, Pages 1-12,

https://scholar.google.bg/citations?view_op=view_citation&hl=bg&user=X0bnwgAAAAJ&cstart=20&sortby=title&citation_for_view=X0bnwgAAAAJ:3fE2CSJrl8C

12. Xiaolu Chen, Shengnan Wu, Yilong Zeng, Bin Zhou, Liang Wang, Liu Liu, Sailing He, Elastic Optical Fiber Fabry-Perot Interferometer for Highly Sensitive AC Magnetic Field Measurement, *IEEE Sensors Journal*, Vol. 18, Issue: 14, July15, 15 2018, DOI: 10.1109/JSEN.2018.2841370, **Q1**

<https://ieeexplore.ieee.org/abstract/document/8370681/>

2002

5. Chavdar Roumenin, Dimitar Nikolov, **Avgust Ivanov**, A novel parallel-field Hall microsensor, *Proc. Digest Tech. Papers Eurosensors XVI, The 16th European Conference on Solid-State Transducers*, Prague, Czech Republic, Magnetic sensors, Pages 545-548, September 15-18 2002.

13. Y.-M. Tseng, J.-K. Jan, H.-Y. Chien, Security of digital signature with one-time pair of keys, *Electr. Lett.*, 36(16) (2000) 1374-1375. **Q1**

6. Ch. Roumenin, D. Nikolov, **A. Ivanov**, New enhancing sensitivity tool for Hall effect devices, *Sensors and Actuators A: Physical, Elsevier*, Vol. 97–98, 1 April 2002, Pages 296–301, ISSN: 0924-4247, **IF=1.299**,

[https://doi.org/10.1016/S0924-4247\(01\)00865-2](https://doi.org/10.1016/S0924-4247(01)00865-2)

14. M. Oszwaldowski, S. El-Ahmar Temperature dependence of reduced offset in double Hall sensor structure reducing voltage offset, *REVIEW OF SCIENTIFIC INSTRUMENTS*, 89, 015004, 2018. *This work was partly supported by the Polish Ministry of Science and Higher Education Project No. 06/62/DSPB/2172*, **Q2**

<https://doi.org/10.1063/1.4995391>

2004

7. Ch.S. Roumenin, D. Nikolov, **A. Ivanov**, 3-D silicon vector sensor based on a novel parallel-field Hall microdevice, *Sensors and Actuators A: Physical, Elsevier*, Vol. 110, Issues 1–3, 1 February 2004, Pages 219–227, ISSN: 0924-4247, **IF=1.462**,

<https://doi.org/10.1016/j.sna.2003.07.010>

15. Ying Zhang, Bo Gao, Shuo Chu, Liangjin He, Investigation of the Sensitivity of a Novel Vertical Hall Device Based on the Buried Layer, *Journals & Magazines, IEEE Transactions on Electron Devices*, Volume: 70 Issue: 3, Page(s): 1406 – 1411, March 2023, Print ISSN: 0018-9383, Electronic ISSN: 1557-9646, **Q2**
DOI: 10.1109/TED.2023.3240017,
<https://ieeexplore.ieee.org/abstract/document/10036368>
 16. Naman Goela, Aniket Babutab, Abhimanyu Kumarc, Souvik Ganguli, Hall effect instruments, evolution, implications, and future prospects, *Review of Scientific Instruments*, Volume 91, Issue 7, 10.1063/5.0009647 (2020); **Q2**
<https://doi.org/10.1063/5.0009647>
 17. Yongyut Kaewjumras, Jirawat Prabket, Wisut Titiroongruang, Surasak Niemcharoen, Contactless Silicon-Based Multi-Dimensional Hall Sensor with Simultaneous Magnetic Sensing and Omni-Rotational Angle Measurement, *International Journal of Engineering Research in Africa* (Volume 41) Pages 51-59, Online since: February 2019, **Q2**
<https://doi.org/10.4028/www.scientific.net/JERA.41.51>
 18. Applicant: Infineon Technologies AG, Neubiberg; Inventor: Udo Ausserlechner, Villach; Electronic device comprising hall effect region with three contacts, United States Patent; Patent No.: US 9,581,660 B2; Date of Patent: Feb. 28, 2017
<https://patents.google.com/patent/US9581660B2/en>
 8. CS Roumenin, D Nikolov, **A Ivanov**, A novel parallel-field Hall sensor with low offset and temperature drift based 2D integrated magnetometer, *Sensors and Actuators A: Physical, Elsevier*, Vol. 115, Issues 2–3, 21 September 2004, Pages 303–307, ISSN: 0924-4247, **IF=1.462**, <https://doi.org/10.1016/j.sna.2004.03.056>
 19. Xiaofeng Zhao, Chenchen Jin, Qi Deng, Meiwei Lv, Dianzhong Wen, Fabrication Technology and Characteristics Research of a Monolithically-Integrated 2D Magnetic Field Sensor Based on Silicon Magnetic Sensitive Transistors, *MDPI, Sensors*, 2018, Volume 18 Issue 8, 2551, 10.3390/s18082551, **Q2**
<https://doi.org/10.3390/s18082551>
- 2005**
9. Ch.S. Roumenin, D. Nikolov, S. Lozanova, **A. Ivanov**, K. Dimitrov, Double-Hall sensor with reduced offset and temperature drift, *Proceedings of the Eurosensors XIX Conference*, Barcelona, Spain, 2005.
 20. Dimitar Bogdanov, Martin Ralchev, Valentin Mateev, Iliana Marinova, Harmonic Spectrum Filtration for Current Sensor Measurements, 16th Conference on Electrical

Machines, Drives and Power Systems (ELMA) 2019, 18865488, DOI: 10.1109/ELMA.2019.8771574, **SJR=0.12**, 2020
<https://ieeexplore.ieee.org/abstract/document/8771574>

21. Valentin Mateev, Martin Ralchev, Iliana Marinova, Current Sensor Accuracy Enhancement by Harmonic Spectrum Analysis, IEEE, 13th International Conference on Sensing Technology (ICST) 2019 19490288,
DOI: 10.1109/ICST46873.2019.9047692
<https://ieeexplore.ieee.org/abstract/document/9047692>

22. M. Oszwaldowski, S. El-Ahmar, Temperature dependence of reduced offset in double Hall sensor structure reducing voltage offset, *Review of Scientific Instruments*, Vol. 89, 015004, 2018; **Q2**
<https://doi.org/10.1063/1.4995391>

2008

10. S Lozanova, S Noykov, **A Ivanov**, C Roumenin, High Sensitive Dual-Collector n+-p-n+ Magnetotransistor, *Comptes Rendus de l'Academie Bulgare des Sciences, Sofia, BULGARIE*, Vol. 61, Issue 7, 2008, Pages 933-938, ISSN 1310-1331, IF=0.152.

23. КД Теодоси, А Александров, Г Миронова, Приложение на метода на най-малките квадрати за определяне на моделните параметри на двуколекторен магнитотранзистор - UNITECH'2020-selectedpapers.tugab.bg8
https://scholar.google.com/scholar?oi=bibs&hl=bg&cites=14088830190610769379&as_sdt=5&as_ylo=2020&as_yhi=2020

24. A Aleksandrov, D Kazolis, G Goranov, I Belovski, Analog-behavioral approach for modeling of a dual-collector magnetotransistor in a static mode of operation, 2019 – JESTER,
https://scholar.google.com/scholar?oi=bibs&hl=bg&cites=14088830190610769379&as_sdt=5&as_ylo=2019&as_yhi=2019

2011

11. S Lozanova, **A Ivanov**, C Roumenin, A novel three-axis Hall magnetic sensor, *Procedia Engineering, Elsevier*, Vol. 25, 2011, Pages 539-542, ISSN: 1877-7058, **IF=0.45**,
<https://doi.org/10.1016/j.proeng.2011.12.134>

25. Paola La Marca, Marco Tarabini, Philippe Lerch, Alexander Gabard, Giuseppe Montenero, ..., Numerical and Experimental Estimation of Measurement Uncertainty in Magnetic Field Mapping, *Journals & Magazines, IEEE Transactions on Instrumentation and Measurement*, Volume: 71, October 2022, Article Sequence Number: 7505210, Print ISSN: 0018-9456, Electronic ISSN: 1557-9662, **Q1**
DOI: 10.1109/TIM.2022.3212530
<https://ieeexplore.ieee.org/abstract/document/9912459>

26. Chia-Yen Lee, Yu-Ying Lin, Chung-Kang Kuo, Lung-Ming Fu, Design and Application of MEMS-Based Hall Sensor Array for Magnetic Field Mapping, *MDPI, Micromachines* 2021, 12(3), 299; Open Access, Jurnal Raank: **JCR=0.55; Q2**
<https://doi.org/10.3390/mi12030299>
https://scholar.google.com/scholar?oi=bibs&hl=bg&cites=5310159619731056738&as_sdt=5&as_ylo=2021&as_yhi=2021
27. Mateusz Wróbel, Bartosz Jakubek, Wojciech Rukat, A Device for Measuring the Rotational Speed of a Chain Sprocket of a Petrol Chainsaw, *Library of Science, Advances in Science and Technology. Research Journal*, ISSN: 2299-8624, Year: 2021, Volume: 15, Number: 3, **SJR=0.19, Q4**
<https://bibliotekanauki.pl/articles/2123289>
28. Yongyut Kaewjumras, Jirawat Prabket, Wisut Titiroongruang, Surasak Niemcharoen, Contactless Silicon-Based Multi-Dimensional Hall Sensor with Simultaneous Magnetic Sensing and Omni-Rotational Angle Measurement, *International Journal of Engineering Research in Africa*, Vol. 41, Pages 51-59, February 2019, **Q2**
<https://doi.org/10.4028/www.scientific.net/JERA.41.51>
29. Wei Tang, Fei Lyu, Dunhui Wang, Hongbing Pan, A New Design of a Single-Device 3D Hall Sensor: Cross-Shaped 3D Hall Sensor, *Sensors* 2018, 18(4), 1065; doi:10.3390/s18041065, **IF=2.475, Q2** <http://www.mdpi.com/1424-8220/18/4/1065/htm>
30. Bo Zhao, Weijia Shi, Jiawei Zhang, Ming Zhang, Xue Qi ID , Jiaxin Li, Feng Li, Jiubin Tan, Six Degrees of Freedom Displacement Measurement System for Wafer Stage Composed of Hall Sensors, *MDPI, Sensors*, 2018, 18(7), 2030, 25 June 2018, **IF=2,475, Q2** <https://doi.org/10.3390/s18072030>
12. S Lozanova, A Ivanov, C Roumenin, A Hall Effect Device with Enhanced Sensitivity, *Procedia Engineering, Elsevier*, Vol. 25, 2011, Pages 543 – 546, ISSN: 1877-7058, **IF=0.45**, <https://core.ac.uk/download/pdf/82489097.pdf>
31. A.I. Rokeakh, M.Yu. Artyomova, Precision Hall Effect magnetometer, *Review of Scientific Instruments*, Volume 94, Issue 3, March 2023, 034702; **Q2**
<https://doi.org/10.1063/5.0131896>
32. MF Khusnitdinov, Hall sensor as a limit switch of a 3D printer, ... КАРЬЕРА, Выпуск № 32 (том 1)(январь, 2022) ... - mpcareer.ru,
https://scholar.google.com/scholar?oi=bibs&hl=bg&cites=10087189709106854965&as_sdt=5&as_ylo=2022&as_yhi=2022

33. М.Ф. Хуснитдинов, А.Б. Жуманиязов, Использование датчика холла в 3d-принтере в качестве концевого выключателя, *Fotoenergetikada nanostrukturali yarimo'tkazgich materiallar II xalqaro ilmiy anjumani 19-20 noyabr 2021*, https://www.researchgate.net/profile/Orzibek-Tursunov/publication/357769458_ELEKTROFIZICESKIE_SVOJSTVA_PLENOK_V_YSSIE_SILICIDA_MARGANCA_V_KREMNIJ/links/61dea94f034dda1b9eefc651/ELKTROFIZICESKIE-SVOJSTVA-PLENOK-VYSSIE-SILICIDA-MARGANCA-V-KREMNIJ.pdf#page=574
34. G. X. Chen, R. X. Cao, A. Zholud, S. Urazhdin, Measurement of the Hall effect at nanoscale with three probes, *Cornell University, Mesoscale and Nanoscale Physics*, 26 Mar 2018; **SJR=0.12** <https://arxiv.org/abs/1803.09784>
35. И. Чолакова, *Проектиране и изследване на магниточувствителни сензори*, PhD дисерт., ТУ-София, 2013г.
36. D.T.Huong Giang, P.A. Duc, N.T. Hien, N.H. Duc, Spatial angular positioning device with three-dimensional magnetoelectric sensors, *Rev. Sci. Instruments*, 83(9) (2012) 095006; **Q1** <http://dx.doi.org/1063/1.4752763>.

2012

13. Siya Lozanova, **Avzugst Ivanov**, Chavdar Roumenin, The device design as enhancing sensitivity tool in Hall elements, *Comptes rendus de l'Acade'mie bulgare des Sciences, Vol 65, No4, pp.519-526, 2012*, http://www.proceedings.bas.bg/cgi-bin/mitko/0DOC_abs.pl?2012_4_16
37. A Aleksandrov, D Kazolis, G Goranov, I Belovski, Analog-behavioral approach for modeling of a dual-collector magnetotransistor in a static mode of operation, *JESTER 2019*. https://scholar.google.com/scholar?oi=bibs&hl=bg&cites=10075412260318090119&as_sdt=5&as_ylo=2019&as_yhi=2019

2014

14. S.V.Lozanova, S.A.Noykov, G.N.Velichkov, **A.J.Ivanov**, Ch.S.Roumenin, A Novel Orthogonally Activated Double-hall Device, ELSEVIER, *Procedia Engineering, Volume 87, 2014, Pages 1111-1114*, <https://doi.org/10.1016/j.proeng.2014.11.359>
38. Marco Crescentini, Sana Fatima Syeda, Gian Piero Gibiino, Hall-Effect Current Sensors: Principles of Operation and Implementation Techniques, *IEEE Sensors Journal*, Volume: 22, Issue: 11, 2022, p.p. 10137 – 10151, 21762411, **Q1** DOI: 10.1109/JSEN.2021.3119766 <https://ieeexplore.ieee.org/abstract/document/9568879>

15. SV Lozanova, SA Noykov, **AJ Ivanov**, GN Velichkov, Ch S Roumenin, 3-D Silicon Hall Device with Subsequent Magnetic-field Components Measurement, *Procedia Engineering, Elsevier*, Vol. 87, 2014, Pages 1107-1110, ISSN: 1877-7058, **IF=0.53**,
<https://doi.org/10.1016/j.proeng.2014.11.358>

39. Yongyut Kaewjumras, Jirawat Prabket, Wisut Titiroongruang, Surasak Niemcharoen, Contactless Silicon-Based Multi-Dimensional Hall Sensor with Simultaneous Magnetic Sensing and Omni-Rotational Angle Measurement, *International Journal of Engineering Research in Africa* (Volume 41), p.p. 51-59, 2019, **Q2**
<https://doi.org/10.4028/www.scientific.net/JERA.41.51>

16. SV Lozanova, SA Noykov, **AJ Ivanov**, GN Velichkov, Ch S Roumenin, A novel coupling of three-contact parallel-field hall devices for offset compensation, *Procedia Engineering, Elsevier*, Vol. 87, 2014, Pages 1115 – 1118, ISSN: 1877-7058, **IF=0.53**,
<https://core.ac.uk/download/pdf/82391510.pdf>

40. Thomas P. White, Satish Shetty, Morgan E. Ware, H. Alan Mantooth, Gregory J. Salamo, AlGaIn/GaN micro-Hall effect devices for simultaneous current and temperature measurements from line currents, *IEEE Sensors Journal*, Vol. 18, Issue: 7, April 1, 2018, Pages 2944 – 2951, **IF=2.512, Q1** DOI: 10.1109/JSEN.2018.2794264,
<https://ieeexplore.ieee.org/document/8259250/>

2015

17. SV Lozanova, SA Noykov, **AJ Ivanov**, Ch S Roumenin, 2D in-plane Hall Sensing Based on a New Microdevice Coupling Concept, *Procedia Engineering, Elsevier*, Vol. 120, 2015, Pages 820-823, ISSN: 1877-7058, **IF=0.53**,
<https://doi.org/10.1016/j.proeng.2015.08.679>

41. T. N. Gerasimenko, S. I. Kasatkin, A. M. Muravyov, P. A. Polyakov, N. E. Rusakova, V. S. Shevtsov, Experimental investigation of a magnetic field near strip conductors with rectangular cutouts, Springer Link, Proceedings of the XXIV International Conference “Electromagnetic Fields and Materials: Basic Physical Research”, Bulletin of the Russian Academy of Sciences: Physics volume 81, pages 1027–1029 (2017),
<https://link.springer.com/article/10.3103/S1062873817080111>

18. SV Lozanova, SA Noykov, **AJ Ivanov**, Ch S Roumenin, Functional multisensor for temperature and subsequent 3D magnetic-field measurement, *Procedia Engineering*, Vol. 120, 2015, Pages 824-827, ISSN: 1877-7058, **IF=0.53**,
<https://doi.org/10.1016/j.proeng.2015.08.683>

42. VA Chernyshov, RP Belikov, EA Mironov... Investigation of Defects in Flat Conductors Using Electron-Optical Moire, Springer, Sustainable Energy ..., 2021, **Q2** - books.google.com

https://scholar.google.com/scholar?oi=bibs&hl=bg&cites=10676208851600430121&as_sdt=5&as_ylo=2021&as_yhi=2021

43. А.К. Кадиримбетова, Р.Ж. Наметкулова, С.Ш. Егембердиева, Жазық өткізгіштердегі магниттік құбылыстарды теориялық зерттеу, *Механика және технологиялар, Механика и технологии, Mechanics & Technologies*, 2020, №2, Физика, УДК 537, ISSN 2308-9865
<http://mit.zhambyl.kz/userfiles/files/%D0%96%D1%83%D1%80%D0%BD%D0%B0%D0%BB%20%D0%9C%D0%B8%D0%A2%202%2C%202020.pdf#page=242>
44. Evgeny Aleksandrovich Pechagin, Vadim Alekseevich Chernyshov, Roman Pavlovich Belikov, Evgeniy Andreevich Mironov, Nailya Kamilevna Miftakhova, Investigation of Defects in Flat Conductors Using Electron-Optical Moire, Springer, International Conference Sustainable Energy Systems: Innovative Perspectives SES 2020: Sustainable Energy Systems: Innovative Perspectives pp 351–359, **Q2**
https://link.springer.com/chapter/10.1007/978-3-030-67654-4_38
45. T. N. Gerasimenko, S. I. Kasatkin, A. M. Muravyov, P. A. Polyakov, N. E. Rusakova, V. S. Shevtsov, Experimental investigation of a magnetic field near strip conductors with rectangular cutouts, *Bulletin of the Russian Academy of Sciences: Physics*, August 2017, Vol. 81, Issue 8, Pages 1027–1029; Springer Link, Proceedings of the XXIV International Conference “Electromagnetic Fields and Materials: Basic Physical Research”, Published: 16 September 2017
<https://link.springer.com/article/10.3103/S1062873817080111>
46. Муравьев А.М., Поляков Петр Александрович, Герасименко Т.Н., Касаткин С.И., Русакова Н.Е.; Экспериментальное исследование магнитного поля вблизи полосковых проводников с током с прямоугольными вырезами, eLibrary.ru ID: 29723936, EDN: ZALRFB, статья в сборнике статей, 2016, p.p.239-247, DOI: 10.12737/23130,
<https://www.elibrary.ru/item.asp?id=29723936&pf=1>

2017

19. Siya Lozanova, Svetoslav Noykov, L. Altunyan, **A. Ivanov**, Chavdar Roumenin, A Novell Hall Magnetometer Using Dynamic Offset Cancellation, *MDPI, Proceedings at the Eurosensors 2017 Conference*, Paris, France, 3–6 September 2017, 1(4), 329; **SJR:0.282**
<https://doi.org/10.3390/proceedings1040329>
47. K. M. Dowling, H. S. Alpert, A. S. Yalamarthy, P. F. Satterthwaite, Micro-Tesla Offset in Thermally Stable AlGaIn/GaN 2DEG Hall Plates Using Current Spinning, *IEEE Sensors Letters (Volume: 3, Issue: 3, March 2019*, ISSN: 2475-1472, **Q2**, DOI: 10.1109/LENS.2019.2898157
<https://ieeexplore.ieee.org/abstract/document/8636992>

48. Karen M. Dowling, Hannah S. Alpert, Ananth Saran Yalamarthy, Peter F. Satterthwaite, Sai Kumar, Helmut Koeck, Udo Ausserlechner, Debbie G. Senesky, Micro-Tesla Offset in Thermally Stable AlGaIn/GaN 2DEG Hall-effect Plates using Current Spinning, *Cornell University*, 1812.00363v3, 2018, **SJR=0.23, Q3**
<https://doi.org/10.48550/arXiv.1812.00363>

20. S.Lozanova, S.Noykov, **A.Ivanov**, C.Roumenin. In-plane magnetosensitive double Hall device. *Proc. of the IEEE Catal.Number CFP17H39-CDR*, 2017, ISSN:978-1-5386-1752-6, pp. 19-21. **SJR:0.3**
DOI: 10.1109/ET.2017.8124382
<https://ieeexplore.ieee.org/document/8124382/>

49. Goran Goranov, Anatolii Aleksandrov, Kazolis Dimitrios, Gergana Mironova, Microprocessor System for Studying the Parameters of Dual-collector Bipolar Magnetic Transistor, *IEEE, II International Conference on High Technology for Sustainable Development (HiTech)*, 2019, 19733126,
DOI: 10.1109/HiTech48507.2019.9128264
<https://ieeexplore.ieee.org/abstract/document/9128264>

2019

21. Siya Lozanova, **Avgust Ivanov**, Chavdar Roumenin, From magnetoresistor element to in-plane sensitive Hall device, *Sensors and Actuators A: Physical*, Elsevier, Volume 299, 1 November 2019, ISSN 0924-4247, **SJR (Scopus): 0.664, JCR-IF (Web of Science): 2.739, Q1**, не оглавява ранглистата (Scopus),
<https://doi.org/10.1016/j.sna.2019.111596>

50. Łukasz Ciura, Paweł Śliż, Dawid Jarosz, Piotr Krzemiński, Michał Marchewka, Evaluation of Metal–Semiconductor Contact Quality: Correlation of 1/f Noise and Nonlinearity, *IEEE Transactions on Electron Devices*, Volume: 69, Issue: 12, December 2022, Page(s): 6999 – 7004, Print ISSN: 0018-9383, Electronic ISSN: 1557-9646, **Q2**
DOI: 10.1109/TED.2022.3218492
<https://ieeexplore.ieee.org/abstract/document/9944975>